

To: Edlund, Carl[Edlund.Carl@epa.gov]
From: Coleman, Sam
Sent: Fri 8/14/2015 10:22:46 PM
Subject: FW: GKM - Urgent Request

Samuel Coleman, P.E.
Deputy Regional Administrator
Region 6
coleman.sam@epa.gov
214.665.2100 Ofc
214.665.3110 Direct
214.789.2016 Cell
Sent from my Windows Phone

From: Crossland, Ronnie
Sent: 8/14/2015 5:21 PM
To: Ostrander, David
Cc: Ruhl, Christopher; Webster, Susan; Hayes, Mark; Bernier, Roberto; Foster, Althea
Subject: GKM - Urgent Request

David,

We have a drinking water system that is in critical situation with regard drinking water storage. The system serves 6000 households and their storage dropped 10 feet last night and now only has 48 hrs of storage. The system will lose pressure prior to that. I request that Area Command forward this request to the Agency's Senior Science Advisor to get an opinion as to whether it is appropriate to begin the active intake of water out of the Animas River for treatment and distribution in a drinking water system.

There are four validated sets of surface water samples at drinking water intakes in New Mexico that can be evaluated for this decision. One set is pre-impact and three sets are post-impact. All samples indicate that the constituents are below various water quality standards and drinking water MCLs.

Due to the emergency situation, I am requesting a response by noon August 15, 2015. We have a contingency which is the temporary installation of a pump. We ordered the pump from Houston and is expected to arrive late tomorrow afternoon.

Thanks for your consideration in this urgent matter.

Ronnie

Sent from my iPad